

Puppies and Parvo

Watch out for its imitators!



A Self Help Guide

Reprinted April 30, 2008

Amber Technology

Table of Contents

A Self Help Guide.....	1
Introduction.....	5
What is Parvo?.....	6
Symptoms of Parvo:.....	6
Exposure.....	8
Incubation.....	8
Treatment Options.....	9
Supplies to have on Hand.....	11
The Importance of Antibiotics.....	13
What are Parvaaid and Vibactra Plus?.....	14
PARVAID.....	14
VIBACTRA PLUS.....	19
Preventative Use.....	23
Tea Recipe's	26
Sugar Stabilizers –.....	26
Parvo Emergency Tea Recipe.....	28
Immune Builders	30
Beef Liver.....	31
Oat Water (An Electrolyte Substitute).....	33
Vitamin C Support.....	33
Parasite Tea.....	34
Parvo Liver Support Tea.....	36
Once Parvaaid and Vibactra Plus Arrives.....	39
To Perform an Enema:	40
Stool Color and Its Meaning.....	43
Fresh Blood Stools.....	44
Absence of Stools.....	46
Parvo and Parasites.....	47
Continued Vomiting.....	49
Lethargy / Weakness.....	50

Vaccinated & / or De-wormed Parvo Puppy.....	52
Duration of Parvo.....	53
Increasing the Survival Rate	54
A Dehydrated Puppy.....	56
Hydrating enemas	56
Over Hydrating and Under Hydrating.....	59
Symptoms of over hydration:.....	59
The dangers of under hydrating are just as fatal.	60
First Foods.....	61
Relapsing After Parvo.....	62
Cleaning Up after Parvo.....	63
Protect Future Puppies from Parvo.....	64
Vaccinations.....	65
Case Studies.....	66
Testimonials.....	68
Amber Technology.....	80

Introduction

This E-Book is not intended to diagnose, cure or prevent any disease. It is intended to help you make better decisions in the care taking of your Parvo infected puppy. Amber Technology has been in business since 1997 (working with the Parvovirus since 1995) helping puppies overcome the dreaded disease Parvo. Amber Technology has learned techniques to help puppies by compiling studies, information and feedback from years of treatment. They have studied many different strains and imitators of the Parvovirus, which becomes critical information when treating sick puppies. They continue to keep current on recent information and because of the rareness of the company are able to process valuable and critical news that may be life- saving to your puppy.

This book gives options in caring for your Parvo infected puppy. It is dedicated to those who want to care for their puppy at home. However, you can ask your Veterinarian to use the Parvaaid in addition with their treatment. The Parvaaid may facilitate in shortening the stay and assist in keep the puppy from relapsing. Relapsing is very common with Parvo puppies; however, we rarely see relapses when puppies receive Parvaaid.

If you have any questions regarding this E-Book contact Amber Technology at 877-727-8243.

What is Parvo?

Parvo is a viral disease, which attacks the intestinal tract and immune system. The Parvovirus has been known and identifiable since 1978 and can be transmitted by direct or indirect contact with vomit or diarrhea from an infected dog. The Parvovirus can cause vomiting, diarrhea, lethargy, depression, dehydration, high fever and sudden death.

The Parvovirus is hard to kill and is shed in large numbers by infected dogs. One ounce of feces can carry millions of particles of the virus. This means that a fly and birds migrating or walking in an infected area can in turn infect your yard. Some kennel owners ask their visitors to bleach the bottom of their shoes; wash their hands in bleach water and put gowns on before allowing contact with the puppies. These are excellent precautions to take to reduce the risk of Parvo. However, they are not a guarantee that the puppies will be protected. Many kennel owners who have taken these precautions still end up occasionally contracting Parvo in their kennel. Amber Technology has seen this situation many times.

Parvo is often fatal and strikes suddenly causing puppies to become extremely ill. Without treatment, the puppy often dies within a few days.

Dehydration is the number one cause of death with the Parvovirus. They can also pass away from loss of blood, major organ failure, infection and low blood sugar.

Symptoms of Parvo:

If the puppy has these symptoms, go to www.ambertech.com and get hold of some Parvaaid and Vibactra Plus or seek veterinary assistance. If it is not Parvo, but just a mild upset stomach, the treatment will not hurt. It is safe to give the full “Parvo” treatment until their bowel movements etc are normal again.

The symptoms may not appear in order. Every dog is different and will begin the symptoms in different stages.

- Puppy may not seem as playful
- Vomiting - The vomit is a yellow froth (bile)
- Diarrhea - Diarrhea has a very foul odor. It starts out with a yellowish or greenish looking stool then turns into a dark-brown-runny stool (a normal Parvo looking stool). Some may see a light brown stool (like peanut butter). Go to Stool Color and Its Meaning if the stool does not match the normal Parvo looking stool.
- Depression
- Dog may or may not have a fever
- They will dehydrate very quickly with a skin and bones appearance in a very short period.
- Some puppies do not have diarrhea and vomit excessively.

Very few dogs survive without intervention of some kind.

Exposure

Parvo is exceptionally contagious. It is passed in the feces or vomit of an infected dog. It can be brought into your yard on your tires, your feet or clothing after handling an infected animal. It can be passed from yard to yard by birds, the bottom of feet or people going “kennel-hopping” carrying the virus on clothing or shoes.

Kennels, breeders and rescuers may want to follow a preventative protocol found in our section if they have had Parvo on their property or have been exposed to the virus.

Having customers put on a gown to protect the puppies from clothing is a good precautionary practice. After the gown has been used, wash in bleach.

Incubation

The usual incubation time for Parvo is three to fifteen days.

When the virus is introduced into the body, it finds its way into the lymph glands and incubates. Eventually the virus will leave the glands and work its way into the intestinal tract where it will begin the process of eating away the intestinal lining bringing on the Parvo symptoms. The virus will also enter the marrow of the bones causing the puppy’s immune system to be compromised. This can cause infection, which makes an antibiotic extremely necessary. Again, this process usually takes anywhere from 3 to 15 days, so the number of days between exposure and your puppy showing symptoms is unpredictable.

Treatment Options

Here is a list of options you have in caring for your Parvo infected puppy (there may be other options available):

1. Veterinarian Care – Your Veterinarian will treat the symptoms of Parvo by giving fluids, supportive care and antibiotics. If your puppy is exceptionally ill, your veterinarian may suggest terminating your puppy's life.
2. Home care with veterinarian supportive care – It may be an option to treat your puppy at home and transport him or her to the Veterinarian for daily IV fluids.
3. A third option is treating your puppy at home. This book is dedicated to those who want to care for their puppy at home.

If you have other puppies in the home that are not exhibiting symptoms start them on the preventative treatment. You will find the instructions in the **Preventative use** section.

You can separate the sick puppies from the others but more than likely; they have already been exposed to the virus. Nine times out of ten Amber Technology's Parvaaid (given 4 times a day for five days) and Vibactra Plus (given twice a day for five days) used as a preventative, may facilitate in keeping your healthy puppies from showing / developing symptoms of Parvo. According to studies if they do develop symptoms, they are generally less severe than puppies that did not receive preventative treatment using Parvaaid and Vibactra Plus. To view case studies see the **Case Study** section.

Create a schedule to assist in keeping track of fluid intake and times of treatment (this will be exceptionally helpful for you). Here is an example of what you can do:

This puppy has Parvo, worms and was recently vaccinated.

Time	molasses on the gums	Parvoid 10 drops and electrolyte fluid or Oat Water	Vibactra Plus 10 drops	Vacc & Wormer Detox	Beef Liver 1 tbs
7:00 am	x	x			
15 min later	x	x			
8:00 am	x	x	x		
9:00 am	x	x		x	
10:00 am	x	x			x
11:00 am	x	x			
12:00 pm	x	x			
1:00 pm	x	x	x		x
2:00 pm	x	x		x	

To kill the Parvovirus on your property:

1. Bleach is most commonly used. Using 1-part bleach to 30-parts water will kill the Parvovirus.
2. A company by the name Animal Health has a product Kennel Care clinically tested to kill the Parvovirus. Kennel Care - (safe on carpet and furniture)

Information to obtain Kennel Care:

Animal Health
800-424-7536
www.htproducts.net

Supplies to have on Hand

Treating a puppy at home is a serious, life saving situation (not to be taken lightly). Being prepared is essential and may save the puppies life. Below is a list of things you may want to have on hand:

- **Amber Technology's Parvaid**
- **Amber Technology's Vibactra Plus**
- **Pepto-Bismol**
- **molasses**
- **Baby aspirin**
- **Hot water bottle (you may need a way to provide some moist heat. Heating pads, which are dry heat, are not recommended)**
- **Beef liver**
- **Beef Broth or Chicken Broth if liver is not available (check the ingredients in the broth for salt or saline, it is not recommended to give salt to a dehydrating puppy)**
- **A child size disposable enema bottle**
- **Syringes**
- **Mustard**
- **Ground cloves**
- **Amber Technology's Vaccination & Wormer Detox (if recently vaccinated or wormed).**

- **Vitamin C*** (calcium or sodium ascorbate powder with bioflavonoids and rose hips OR Ester C as both are easier on the tummy. It is easier to give in the sodium ascorbate powder according to Dr. Pitcairn, D.V.M., Ph.D. in his book "Natural Health for Dogs and Cats")
- **Amber Technology's Life Cell Support to help speed the healing process if Amber Technology's Vaccination & Wormer Detox is not being used.**

Syringe size needed if by dog's weight:

- Under 3 lbs. - 6 cc/ml
- 4-10 lbs. - 12 cc/ml
- 11-20 lbs. - 20 cc/ml
- 21-30 lbs. - 35 cc/ml
- 31-40 lbs. - 50 cc/ml
- 41-50 lbs. - 60 cc/ml

*Vitamin C (for health of the kidneys) 4 times a day until the dog is eating on his own will be exceedingly beneficial.

Vitamin C - Vitamin C is eliminated from the body within 2 hours of ingestion, with the exceptions of the more expensive Vitamin C that stays in the body for as long as 9 hours. During the extremity of the illness, give the Vitamin C at least 3 - 4 times/day (according to Dr Pitcairn it can be given up to every 2 hours). Vitamin C powder can be done via enema...when a Parvo puppy is not keeping fluids down orally.

Dr. Wendell Belfield's book, "How to Have a Healthier Dog" advises Vitamin C "maintenance dose" for dogs suggested use as follows:

Animal Weight	Vitamin C
Small	500 to 1500 mg / day
Medium	1500 - 3000 mg / day
Large	3000 – 6000 mg / day
Giant	6000 to 7500 mg / day

The Importance of Antibiotics

An antibiotic is recommended by Veterinarians for the treatment of Parvo (**due to the lack of white blood cells the body is producing**) to aid in the prevention of secondary infections. The Parvovirus is also in the intestinal tract **ATTACKING THE LINING causing blood loss**, which can also cause secondary infections. The infections, if not treated, will cause the puppy to become extremely ill and can cause death.

Over the years, Amber Technology has acknowledged a variety of symptoms some of which have lead to imitators of Parvo. These imitators can mimic the symptoms of Parvo with exception of some small occasionally overlooked signs. Because of these imitators, **we created and recommend giving Vibactra Plus (Amber Technology's antibiotic) in addition to Parvaid. Vibactra Plus is an herbal treatment for bacterial, viral and parasitical infections.**

What are Parvaid and Vibactra Plus?

PARVAID

Parvaid was developed in 1997 to help puppies overcome Parvo. Clinical studies show an 85% success rate using Parvaid. The average time before the animal has enough strength to begin eating on its own is 2 days. See the [Clinical Studies](#) section.

Puppies with Parvo are nauseous and dehydrate quickly. It is important to have a continual flow of fluid going through the intestinal tract to drain infection and keep hydration. **Parvaid will help that flow to happen.** Parvaid calms the stomach, promotes the appetite and allows the fluid to pass into the intestinal tract. Parvaid also has ingredients to help heal the intestinal tract as the Parvovirus has consumed so much of it.

The success rate of Amber Technology's Parvaid increased from 85% to over 90% after introducing the Vibactra Plus. Puppies weighing less than 3 lbs, imitators of Parvo and those who had recently been wormed or vaccinated make up the remaining 10%. (Amber Technology does not have an opinion as per the maintenance of vaccinations. Amber Technology asks that you do your own research and make your own decision as to whether or not you vaccinate.)

The survival rate decreases for those who do not put their puppies on antibiotics in an appropriate time as found in case history. The virus is in the bone marrow attacking the white blood cells, in the intestinal tract consuming the lining and, due to vomiting, pneumonia is a risk factor. The lack of white blood cells can be a cause for secondary infections. So as you can see **an antibiotic is highly recommended** for the treatment of Parvo.

In the past, Amber Technology customers have opted to use

Veterinarian care for treatment in addition to the Parvaaid. Veterinarians use their own antibiotics so we have separated the Parvaaid and Vibactra Plus. This gives our customers a choice.

An antibiotic from the Veterinarian or Amber Technology's **Vibactra Plus** are options to use with the Parvaaid for the treatment of your puppy. When using traditional antibiotics only or when using Vibactra Plus in conjunction with traditional antibiotics, it is beneficial to add acidophilus also. When using Vibactra Plus alone, acidophilus is not necessary.

Symptoms of Parvo:

- Depression
- Loose stool – A normal Parvo stool will have a yellow tinge. A light brown color, like peanut butter, may represent Parvo in addition to something else (i.e. worms, coccidia or a bacterial infection)
- Dark brown runny stools (bloody)
- Vomiting
- Puppy may be vomiting and have no stools – This could represent Parvo and worms. **DO NOT DEWORM** your puppies if they have worms during Parvo. The success rate will drop significantly.
- Lethargy
- Dehydration

If the puppy has these symptoms one can start Parvaaid and Vibactra Plus. If it is not Parvo, but just a mild upset stomach, the treatment will not hurt. It is safe to give the full “Parvo” treatment until the bowel movements, etc are normal again.

It is difficult to pull a dog through Parvo if given a treatment of Wormer or a Vaccination within 14 days of illness. Giving Amber Technology's **Vaccination and Wormer Detox** or **Life Cell Support** can increase the odds of survival. (Amber Technology does not have

an opinion as per the maintenance of vaccinations. Amber Technology asks that you do your own research and make your own determinations as to whether or not you will vaccinate.)

In addition to Parvo, Parvaid can help your puppy (dog) with the following symptoms:

- Building the immune system (especially good for puppies who are weaning from the mother). In this situation, give Parvaid once a day.
- Parvaid can help stop vomiting and diarrhea caused by environmental changes.
- Parvaid can stop the vomiting and diarrhea caused by changes in diet.
- Ease travel discomfort.
- Diarrhea
- Bloody diarrhea (a medical assessment may be necessary)
- Lack of appetite
- Bloat
- Gas
- In some cases, bad breath.

Parvaid contains:

- **Peppermint** - Calms upset stomachs and promotes appetite.
- **Spearmint** - Calms upset stomachs and promotes appetite.
- **Chamomile** - Used to prevent cramping and calms the nerves.
- **Plantain** - Has antibiotic properties. Soothe inflamed tissues in the intestinal tract

- **Echinacea** - Build the immune system.
- **Oregon Grape** – An anti-microbial, which kills viral and bacterial infections in the blood stream.
- **Rose Hips** - Helps combat stress and a source of Vitamin C.
- **Yarrow** – Used for hemorrhaging.
- **Garlic** - A good source of sulfur which gives its' antibiotic properties.
- **Golden Seal** – An anti-microbial, kills viruses and bacteria. Works mainly in the intestinal tract. Golden seal contains Hydrastis, which can cause miscarriage.
- **Hibiscus Flowers** - Used for nausea
- **Alcohol** – Intensifies and preserves the properties of the herbal tincture, also a fast carrier into the blood stream
- **Distilled Water**

Suggested use for Parvaid:

<u>Animal Weight</u>	<u>PARVAID</u>	<u>Pedialyte</u>
Under 3 lbs.	2 drops	1 tsp
3-10 lbs.	5 drops	2 tsp
11-20 lbs.	10 drops	1 tbsp
21 –30 lbs	15 drops	2 tbsp
31 – 40 lbs	15 drops	3 tbsp
41 lbs and up	15 drops	4 tbsp

Add an additional 1-tablespoon to the 4 tablespoons for each 10 lbs of body weight over 50 lbs.

General Directions as a Preventative and other uses: Give orally 3 to 4 times daily.

Suggested Use for Parvo:

Give orally with an electrolyte fluid **EVERY HOUR until animal is**

eating on its own and is able to hold down food for 6 hours. Then give orally 4 times daily for 2 days to prevent a relapse. If puppy worsens try an enema (instructions in this guide under the section *Instructions for Administering an Enema*)

Preventative use:

If dog has been exposed to an infected dog give Parvaid 4 times a day for 5 days. If there are other dogs that have had Parvo on the premises recently continue treating with Parvaid once a day for 6 weeks (the puppies will shed the virus for 6 weeks). Do a thorough clean then discontinue use.

When you bring your dog onto Parvo exposed property wait 2 days. Then give Parvaid 4 times a day for 5 days to help prevent your puppy from coming down with Parvo.

Suggested Veterinarian Use:

If puppy is on IV fluid. give 4 times the recommended dose of Parvaid every 4 hours. Do not follow with fluid orally (some fluid to wash down the flavor is OK). Give full amount of IV fluid. Give the Vibactra Plus 4 times a day (2 times if giving other antibiotics).

OR Reduce the drip by half and give half the amount of Pedialyte orally with the hourly dose of Parvaid (single dose). Give the Vibactra Plus 4 times a day (2 times if giving other antibiotics).

If puppy is on Sub Q fluid. Reduce the Sub Q by half and give half the amount of Pedialyte with the hourly dose of Parvaid (single dose). Give the Vibactra Plus 4 times a day (2 times if giving other antibiotics).

Warning: Keep out of reach of children. Do not give to animal if pregnant, pancreas or liver disease is present. Do not give to cats. As with any product, one may experience an allergic reaction, which may include skin redness, hives, swelling around the eyes, or serious breathing problems due to laryngeal swelling and glottal closure. For any suspicious symptoms, one should cease taking this product immediately and contact the nearest physician or emergency room, or contact your local Veterinarian as the situation dictates. Keep out of reach of children. An overdose can cause miscarriage. Discontinue

use if you see allergic symptoms such as hives, trouble swallowing and swelling around the eyes.

VIBACTRA PLUS

Vibactra Plus is an herbal treatment for bacterial, viral and parasitical infections. Its many anecdotally- observed clinical successes include clearance of refractory pneumonia, treatment of intestinal illness (as an adjunct to Amber Technology's Parvaid and Kitty Distempaid), and in the setting of cold and flu symptoms. It also plays a role in prophylaxis against airborne infection.

Amber Technology's Life Cell Support is also beneficial in conjunction with the Vibactra Plus if building the immune system.

The immune builders in the Vibactra Plus are advantageous for pets that suffer from parasites such as Coccidia and mites. These parasites will attack the body when the immune system has been compromised. The Vibactra Plus can help build the immune system (which in itself may stop the parasites) and has an anti-parasitic to help rid the parasites from the body.

A major component of Vibactra Plus is Olive Leaf, famous for its immune enhancing properties. This further defines Vibactra Plus as both a natural antibiotic and antioxidant. It's no wonder that Vibactra Plus also intensifies resistance against common infections, to include cold and flu.

Free radicals result from normal body function, to include clearance of infections by the immune system. These free radicals have been clearly linked to cancer and degenerative disease. In the normal course of clearing an infection, the body produces more free radicals than normal, and in a compromised state of illness, those free radicals are more difficult to clear. Vibactra Plus supports the body in this critical function of clearing free radicals to help prevent these more serious sequels to infection.

Vibactra Plus is designed to:

- Fight infections.
- Quell post-infectious inflammation
- Stimulate circulation.
- Increase immunity
- Reduce free radicals

Note: For any infection of concern, one must seek immediate medical assessment.

When to use Vibactra Plus:

- During Parvo
- During Feline Distemper
- To assist with Coccidia, Giardia and other microscopic parasites
- Help build the immune system
- Help prevent Parvo, Feline Distemper
- Help with Kennel Cough or Canine Flu
- When an open wound is present
- Help reduce many types of infections
- Vibactra Plus may be beneficial for use before surgery to enhance immunity and eliminate the possibility of a coccidia outbreak.
- Can be used in conjunction with Amber Technology's Otagia Drops, Life Cell Support, Parvaid, Kitty Distempaid, Pet's Cough & Cold, Tummy Trouble,

Suggested use for Giardia and Coccidia:

Use in addition with Amber Technology's Parvaid (for dogs) or Kitty Distempaid (for cats). These products may help with symptoms the microscopic parasites can cause.

In most cases, it will take a 10-day treatment to rid your pet of Coccidia and Giardia. However, if you have a crowded situation (i.e. kennel, farm, unclean property etc.) you may have to do a 10 day on and 10 day off cycle program. This program consists of Kocci Free and Parvaid (for dogs) or Kitty Distempaid (for cats). Give for 10 days. Go off ten days (be sure to clean the premises well during treatment). Go back on for 10 days then back off another 10 days.

You will do this until you have completed three ten-day cycles. Refer to chart:

10 day Cycles	Vibactra Plus	Parvaid or KD
1 st 10 days	Give 4 times daily	Give if needed
2 nd 10 days	Do not give	Do not give
3 rd 10 days	Give 4 times daily	Give if needed
4 th 10 days	Do not give	Do not give
5 th 10 days	Give 4 times daily	Give if needed

For preventative dosing, give Vibactra Plus twice a day for 10 days (after weaning if applicable).

Vibactra Plus contains:

Olive Leaf - Anti-microbial activity against many species of virus and bacteria as well as for immune enhancement; stabilized for efficacy in this formulation.

Mustard Seed – Anti-pyretic in common colds and influenza; stimulates circulation.

Black Seed - Ubiquitous immune and circulatory effects as well as support for the pulmonary, gastrointestinal, hepatic, and renal systems.

Pau D’arco - South American herb that reduces pain and enhances immunity, is particularly effective against parasites and fungus. It is also effective against virus and bacteria. Large doses or continued use of this product can cause miscarriage in pregnant animals.

Cloves – Effective in purging microscopic parasites from the human body; extra-added benefit of soothing the intestinal mucosa

Grapefruit Seed Extract – anti-parasitic against smaller parasites.

Alcohol – Intensifies and preserves the properties of the herbal tincture, also a fast carrier into the blood stream

Distilled Water

Suggested Use:

Shake product well before use. Give orally **4 times daily** for up to 10 days (2 times daily as a preventative). **Do not exceed the recommended dose!**

Animal Weight Vibactra Plus

Under 3 lbs	2 drops
3-10 lbs	5 drops
11-20 lbs	10 drops
21 and up	15 drops

Suggested use to enhance the immune system: Give orally 1-2 times daily.

Warning: It is important that one follow the dosing guidelines exactly as written. One must not exceed the daily recommended dose. As with any medication, overdose of this product can cause serious illness, to include irritability, change in consciousness, stupor, coma, or death. As with any product, one may experience an allergic reaction, which may include skin redness, hives, swelling around the eyes, or serious breathing problems due to laryngeal swelling and glottal closure. For any suspicious symptoms, one should cease taking this product immediately and contact the nearest physician or emergency room, or call your local veterinarian as the situation dictates. Keep out of reach of children. An overdose can cause miscarriage. Discontinue use if you see allergic symptoms such as hives, trouble swallowing and swelling around the eyes. **Do not give in addition to Amber Technology's Vibactra, UTR, Kocci Free or Kennel-Koff.**

*These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

One 1 oz bottle of Vibactra Plus will treat approximately 2 medium size dogs and 3 adult cats. Vibactra Plus has a 4-year shelf life from date stamped on bottle.

Something to remember: The antibiotic from the Veterinarian will treat bacterial infections, which Parvo is a virus. Although the

antibiotics do not treat Parvo itself, Parvo can cause secondary infections making it very important for the use of an antibiotic. Through the testing of **Vibactra Plus** Amber Technology has found it to work on various viral and bacterial infections. Clinical tests have proven that Parvaaid and Vibactra Plus will calm your puppy's stomach and allow the immune builders to increase immunity, heal the intestinal tract and fight off viral and bacterial infections.

Preventative Use

When exposure has happened, the virus will enter the lymphatic system and incubate. Once it has incubated it will enter the intestinal tract and bone marrow. The puppy will at that time begin to show symptoms.

Amber Technology has tested the Parvaaid and Vibactra Plus to see if the virus could be stopped at the incubation stage (before the puppy begins to show symptoms). The results of the study prove that using Parvaaid and Vibactra Plus before the puppy becomes symptomatic, they will not get ill. However, if they have been vaccinated or wormed within a week of Parvo onset the numbers are less. If the puppy has been exposed to Parvo and has another illness such as coccidia the numbers are also less. (Amber Technology does not have an opinion as per the maintenance of vaccinations. Amber Technology asks that you do your own research and make your own determinations as to whether or not you will vaccinate.)

It takes 3 days for the incubation process to occur. Let the puppy expose itself to the virus and allow its system to build its immunities for 2 days. On the second day, begin giving Parvaaid and Vibactra Plus. This will in turn stop the virus from reaching the intestinal tract (nine times out of ten according to studies). The puppy can contract the illness if the exposure is not allowed. The puppy does not have the opportunity to build an immunity to the virus. As soon as the preventative treatment has been completed the puppy can contract the illness, either immediately afterwards or in the future. If this occurs you should begin the full dose recommended for the treatment of Parvo.

Parvo Exposed Puppy

1. Give Parvaaid four times a day and Vibactra Plus 2 times a day for five days.
2. Puppies who have parvo will shed the virus for 6 weeks after they have recovered. If there are puppies in the household that have had Parvo and puppies who have not been infected do the following for the non-infected puppies:
 - a. Give Parvaaid four times a day for 5 days and Vibactra Plus twice a day for 5 days. Wait two days to allow the puppy to build immunity to the virus. Afterwards give Parvaaid and Vibactra Plus once a day for six weeks.
3. After you have finished your preventative treatment with Parvaaid (after the 6 weeks) do a thorough clean then discontinue use. For more instructions on cleaning your property go to [Cleaning up after Parvo](#).

Bringing a puppy into an environment that may be contaminated with Parvo:

1. Wait two days to allow the puppy to build immunity to the virus. Start giving Parvaaid four times a day and Vibactra Plus 2 times a day for 5 days.
2. Keeping in mind puppies who have parvo will shed the virus for 6 weeks after they have recovered. If there are puppies in the household that have had Parvo in the last six weeks and a new puppy in entering the premissis you can do the following:
 - b. Wait two days to allow the puppy to build immunity to the virus. Then give Parvaaid four times a day for 5 days and Vibactra Plus twice a day for 5 days. Afterwards give Parvaaid and Vibactra Plus once a day for six weeks.
3. For cleaning your yard and home go to [Cleaning up after Parvo](#) and follow the directions.

When the Preventative Use Does Not Work

Animals react differently to disease. Your puppy may not have a very strong immune system or it may be compromised by another illness. Some breeds of dogs with a black and/or brown coat such as Rottweilers have a weakness for intestinal diseases.

Reasons the preventative treatment may not be affective:

- Puppy's condition may be weak from a routine vaccination or wormer
- Puppy may have an infestation of parasites
- Puppy may be facing multiple conditions such as Parvo and coccidia (very common).
- Puppy did not receive preventative treatment in due time.

Tea Recipe's

Please read before using the tea's in this book.

Supportive care –

When giving supportive care at home, be sure to keep track of the puppies fluid intake (what is given and when). Create a schedule (this will be incredibly supportive). A sample of a chart can be found in the Treatment Options section of this book.

Amber Technology has created a tea recipe to stabilize puppies if Parvaid and Vibactra Plus are not readily available. You will find the Parvo Emergency Tea Recipe in this section.

Warning: Do not use this recipe with other treatments outside of Amber Technology if ingredients are unknown. **Doing so could be fatal to your dog.** Always check with a qualified or knowledgeable individual before combining treatments.

Antibiotic –

For those who cannot get hold of an antibiotic for their puppy Amber Technology, there are a few resources for [Immune Builders](#). These stabilizers are temporary and designed to settle the system until a known antibiotic can be found within reason. For any infection of concern, one must seek immediate medical assessment. It is vital puppies receive antibiotics when treating Parvo.

Sugar Stabilizers –

Blood Sugars in puppies (especially those smaller than 3 lbs) are more likely to plummet. A puppy with low blood sugar will become weak, listless and in severe instances, the puppy may even seizure. Glucose is necessary for the brain tissue and muscles to function. These hypoglycemic episodes will cause the puppy to fall over and appear weak or comatose.

Sugar stabilizers:

- c. **molasses** – Put molasses on the gums of the mouth

before each Parvaaid or Parvo Emergency Tea feeding. This has been proven successful for many puppies.

- d. **Oat Water** - Use Oat Water (recipe for Oat Water found in this section) in place of Pedialyte. A short study was performed on Oat Water verses Pedialyte and found Oat Water to stabilize puppies more so.
- e. **Beef Liver** - (Beef Liver recipe also found in this section) The Beef Liver may act like a tonic as well as a sugar stabilizer to the puppies according to Dr Pitcairn. The liver can perform many functions (i.e. a source of Vitamin A, iron, and sugar stabilizers).

Vaccination and Wormers –

If your puppy has been vaccinated or wormed recently (within a week of becoming ill) your puppies chance of survival may be compromised (according to Amber Technology's case history). A detox may be needed. Amber Technology has created a product called Vaccination & Wormer Detox for this purpose. For a quick fix Beef Liver may be able to perform the job. If Beef Liver is unobtainable a recipe for the Beef Liver (found in this section) may be a quick fix but not a permanent source of treatment.

Amber Technology does not have an opinion as per the maintenance of vaccinations. Amber Technology asks that you do your own research and make your own determinations as to weather or not you will vaccinate.

Parvo and Coccidia –

It is common for a puppy to develop Parvo in addition to Coccidia or Giardia (or other microscopic parasites). It gets complicated when trying to pull a puppy out of Parvo when overcoming a parasite infection. If Amber Technology's Parvaaid and Kocci Free is unavailable use Amber Technology's Parasite Tea to try and stabilize your puppy. Coccidias are dangerous if not treated during an attack. They can find a way into the spinal cord or brain and cause permanent damage if not death.

Orange stools or white paste in the stool –

Parvo can affect the liver. There are imitators that can affect the liver.

If the liver is being affected you may see an orange tinge or white past in the stool. Amber Technology's Parvaaid, Vibactra Plus, Life Cell Support and Adizone has been developed for these situations. For those who cannot obtain the products, the was developed to strengthen the liver to help the puppy overcome the Parvo.

* Go to Supplies to have on Hand to ensure you have everything you need to treat your puppy at home. This will relieve you from the added stress from the needing to go to the supermarket when your puppy is extremely ill.

Parvo Emergency Tea Recipe

Use this tea if Parvaaid is not available or if the need to stabilize nausea is necessary. If using the tea in addition to Parvaaid in hopes to control nausea remove garlic from the recipe.

Ingredients: (ingredients can be found in most major supermarkets with pharmacies):

- 1 cup **Pedialyte OR Oat Water** (electrolyte fluid)
- 2 tea bags **herbal Peppermint with Spearmint tea** (A good source - Bigelow's Mint Medley. If the mixture is not available find peppermint and spearmint separated – use 1 tea bag of each. If only one is available (ie :Peppermint) use 2 tea bags. **DO NOT GET TEA THAT CONTAINS CAFFEINE.**
- 2 teabags **chamomile tea / DO NOT GET TEA WHICH CONTAINS CAFFEINE**
- 2 capsules **Echinacea** (This can usually be found in the vitamin section near the pharmacy)
- 2 Teaspoons finely chopped **garlic. Needs to be fresh garlic not dry (garlic packaged in a jar sitting in water or oil is suitable). If your puppy has worms increase the garlic to 2 tablespoons.**

Heat 1 cup of Pedialyte or Oat Water until hot but **DO NOT BOIL**. Add 2 tea bags of mint tea, 2 tea bags of chamomile tea, empty 2 capsules of Echinacea, and add 2 Tsp. of fresh garlic.

Stir and let cool for 20 min.

As per the following chart give one dose, wait 15 minutes, give another dose, then give a dose every hour after that.

Amount of tea to administer:

<u>Animal Weight</u>	<u>Tea</u>
• Under 3 lbs	give 1 teaspoon
• 4-10 lbs.	give 2 teaspoons
• 11-20 lbs.	give 1 tablespoon
• 21-30 lbs.	give 2 tablespoons
• 31-40 lbs.	give 3 tablespoons
• 41- 50 lbs.	give 4 tablespoons
• Add an additional 1-tablespoon to the 4 tablespoons for each 10 lbs of body weight over 50 lbs.	

Refrigerate tea recipe. Parvo Emergency Tea Recipe will be good for 3 days refrigerated. The tea is best if given warm. Run the syringe under warm tap water. One can also put the tea (recommended dose) in a small glass and place it in a larger bowl containing hot water and allow the tea to warm up. Do not microwave the tea.

If your puppy is on IV fluid – Over-hydrating can be straining on the heart. Reduce the IV drip to half the dose and give only half the amount of tea.

Immune Builders

(These are only temporary, until you can get a hold of Vibactra, Vibactra Plus or an antibiotic from your veterinarian)

We recommend you put the puppy on an antibiotic to prevent secondary infections such as pneumonia.

There are a few things that can be done while waiting for the Vibactra Plus (Amber Technology's natural antibiotic alternative). They may not be as affective but can be better than using nothing at all. However, for any infection of concern, one must seek immediate medical assessment.

- **Colloidal Silver** - This can be found in most herbal stores. Some countries have banned Colloidal Silver.
- An **Olive Leaf** herbal oral treatment - Found in your local herbal store.
- **Golden Seal** – Because of low blood sugars this would be best used if the puppy is holding down the Beef Liver (for more information on Beef Liver go to the recipe found in this section). You can add 2 capsules to the Parvo Emergency Tea Recipe. Remember, this is only temporary.
- **Rosemary** – This herb is a tonic, antidepressant, stimulant, analgesic, expels intestinal gas, antispasmodic, antioxidant, **anti-microbial**, for nervous system, digestive tract, circulatory system (good for the heart too), respiratory tract, skin. Add 2 capsules to the tea.
- **Sage** – **antiseptic**, antispasmodic expels intestinal gas, aid to digestive tract, and skin. Add 2 capsules to the tea.
- **Thyme** – **Anti-microbial** expels intestinal gas, antispasmodic, coughs suppressant, expectorant, and expels worms, aids digestive and respiratory tracts. A separate tea is needed to make this. Take 1 cup boiling water and 2 tablespoons Thyme. Give half the amount recommended on the chart for the [Emergency Tea Recipe](#).

- **Oregon Grape – Anti-microbial**, stimulates bile production, anti-inflammatory, tonic, and anti-parasitic, supports the liver, digestive system, and mucous membranes. Add 2 capsules to the tea.
-

Beef Liver

It can be difficult to maintain a puppies' sugar level (especially those less than 3 lbs). Pedialyte may not be enough for the puppy. Blood Sugars in puppies are more likely to plummet than those of an adult. A puppy with low blood sugar will become weak, listless and in severe instances, the puppy may even seizure. Glucose is necessary for the brain tissue and muscles to function.

Beef Liver and Oat Water (recipes are found in this section) are two recipes found to be supportive in sustaining the sugar levels. Beef liver will act as a tonic to puppies according to Dr Pitcairn, D.V.M., Ph.D. Chances of survival may increase if your puppy can keep the beef liver down.

If the puppy has been wormed or vaccinated within a week of Parvo onset, the beef liver may be one important step to maintain the health of the puppy. According to Amber Technology's history of treating vaccinated puppies, the success rate declines if vaccinated within a week of coming down ill. Amber Technology does not have an opinion as per the maintenance of vaccinations. Amber Technology asks that you do your own research and make your own determinations as to whether or not you will vaccinate.

There are a few ways you can prepare the beef liver. Depending on how sick the puppy is will depend on how you will need to prepare it.

- Chop the beef liver up into small bits and fry it.
- Try it raw
- Puree it

- If the puppy will not keep the beef liver down try using the juice from boiling the liver.

Pureed Beef Liver

- 1/2 tub beef liver (from the meat department in a supermarket)
- Water or electrolyte fluid

Boil the beef liver until thoroughly cooked. Put the beef liver in a blender and blend. Add enough water or electrolyte fluid until the beef liver is thin enough to suck up into syringe.

Give beef liver every 3 hours according to the chart below.

One can put molasses on the gums in addition to the beef liver. Give the [Parvaid](#) or [Parvo Emergency Tea Recipe](#) (the peppermint and spearmint in the tea is designed to help calm the stomach and stimulate the appetite) fifteen minutes BEFORE giving the beef liver. This will prepare the body for the beef liver. Do not give more than is recommended in the chart below. An overdose of beef liver can cause additional diarrhea.

<u>Weight of Dog</u>	<u>Beef Liver</u>
-----------------------------	--------------------------

- | | |
|--------------|-------------------|
| • Under 2lbs | give 1/8 teaspoon |
| • 2-3 lbs | give ¼ teaspoon |
| • 4-10 lbs. | give ½ teaspoon |
| • 11-20 lbs. | give 1 teaspoon |
| • 21-30 lbs. | give 2 teaspoons |
| • 31-40 lbs. | give 1 tablespoon |

- 41- 50 lbs. give 2 tablespoons

Add an additional 1-tablespoon to the 2 tablespoons for each 10 lbs of body weight over 50 lbs.

Oat Water (An Electrolyte Substitute)

Use this in place of Pedialyte or electrolyte fluid to help maintain sugar levels.

½ gallon of water

½ cup oats

1 tsp salt

1/3 cup molasses

Boil the water. Add the oats, salt and molasses. Let sit for 20 minutes then strain off the oats. Use this recipe to keep puppy hydrated (when making tea or giving Parvaid).

Vitamin C Support

Vitamin C - Vitamin C is eliminated from the body within 2 hours of ingestion with the exception of some highly expensive Vitamin C that stays in the body for as long as 9 hours. During the extremity of the illness, give the Vitamin C at least 3-4 times/day (according to Dr Pitcairn, D.V.M., Ph.D., it can be given up to every 2 hours). Vitamin C powder can be done via enema...when a Parvo puppy is not keeping fluids down orally.

Dr. Wendell Belfield's book, "How to Have a Healthier Dog" advises vitamin C "maintenance dose" for dogs suggested use for Vitamin C is as follows:

Animal Weight	Vitamin C
Small	500 to 1500 mg / day
Medium	1500 - 3000 mg / day
Large	3000 – 6000 mg / day
Giant	6000 to 7500 mg / day

Parasite Tea

Use this tea if you believe your puppy has parasites or microscopic parasites like Coccidia. Use if your puppy continues to worsen and you have tried the sugar stabilizers and hydration methods. Often times we don't know our puppies are suffering from a parasite.

- 1 cup **Pedialyte OR Oat Water** (electrolyte fluid)
- 2 tea bags **herbal Peppermint with Spearmint tea** (A good source - Bigelow's Mint Medley. If the mixture is not available, find peppermint and spearmint separated – use 1 tea bag of each. If only one is available (i.e.: Peppermint)

use 2 tea bags. **DO NOT GET TEA THAT CONTAINS CAFFEINE.**

- 2 teabags **chamomile tea** / **DO NOT GET TEA WHICH CONTAINS CAFFEINE**
- 2 capsules **Echinacea** (This can usually be found in the vitamin section near the pharmacy)
- 2 Teaspoons finely chopped **garlic**. **Needs to be fresh garlic not dry (garlic packaged in a jar sitting in water or oil is suitable). If your puppy has worms increase the garlic to 2 tablespoons.**
- ½ teaspoon **cloves (ground)**
- ¼ **teaspoon Mustard** (if powdered mustard cannot be found, the kind used on a hotdog is suitable)

Heat 1 cup of Pedialyte or Oat Water until hot but **DO NOT BOIL**. Add 2 tea bags of mint tea, 2 tea bags of chamomile tea, empty 2 capsules of Echinacea, and add 2 Tsp. of fresh garlic, ½ teaspoon cloves and ¼ teaspoon mustard.

Stir and let cool for 20 min.

As per the following table give one dose, wait 15 minutes, give another dose, then give a dose every hour after that.

Amount of tea to administer:

<u>Animal Weight</u>	<u>Parasite Tea</u>
• Under 3 lbs	give 1 teaspoon
• 4-10 lbs.	give 2 teaspoons
• 11-20 lbs.	give 1 tablespoon

- 21-30 lbs. give 2 tablespoons
- 31-40 lbs. give 3 tablespoons
- 41- 50 lbs. give 4 tablespoons
- Add an additional 1-tablespoon to the 4 tablespoons for each 10 lbs of body weight over 50 lbs.

Refrigerate tea recipe. Parasite Tea Recipe will be good for 3 days refrigerated. The tea is best if given warm. The syringe can be run under warm tap water. One can also put the tea (recommended dose), in a small glass and place it in a larger bowl containing hot water and allow the tea to warm up. Do not microwave the tea.

If your puppy is on IV fluid – Over-hydrating can be straining on the heart. Reduce the IV drip to half the dose and give only half the amount of tea.

Parvo Liver Support Tea

Use this tea if the liver seems to be affected (i.e. white paste or orange stools).

This tea has two parts when making it.

Cabbage water:

Boil 2 quarts water with ½ head of cabbage. Boil the cabbage until the cabbage is soft. Strain off the cabbage.

Tea:

- 1 cup **cabbage water** (see above)
- 1 capsule **Milk Thistle** (I believe you can find this at Wal-

Mart or any of your herbal stores)

- 1 cup **Pedialyte OR Oat Water** (electrolyte fluid)
- 2 tea bags **herbal Peppermint with Spearmint tea** (A good source - Bigelow's Mint Medley. If the mixture is not available, find peppermint and spearmint separated – use 1 tea bag of each. If only one is available (ie: Peppermint) use 2 tea bags. **DO NOT GET TEA THAT CONTAINS CAFFEINE.**
- 2 teabags **chamomile tea / DO NOT GET TEA WHICH CONTAINS CAFFEINE**
- 2 capsules **Echinacea** (This can usually be found in the vitamin section near the pharmacy)
- 2 Teaspoons **finely chopped garlic. Needs to be fresh garlic not dry (garlic packaged in a jar sitting in water or oil is suitable). If your puppy has worms increase the garlic to 2 tablespoons.**
- 2 teaspoons **molasses**
- ½ teaspoon **cloves (ground)**
- ¼ teaspoon **Mustard** (if powdered mustard cannot be found, the kind used on a hotdog is suitable)

Bring the Cabbage water to a boil then take it off the stove. Add the remaining ingredients and let sit for 20 minutes.

Give the tea every 3 hours according to the chart below (do not give at the same time you give the beef liver):

Amount of tea to administer:

Animal Weight Cabbage Water Tea

- Under 3 lbs give 1 teaspoon
- 4-10 lbs. give 2 teaspoons
- 11-20 lbs. give 1 tablespoon

- 21-30 lbs. give 2 tablespoons
- 31-40 lbs. give 3 tablespoons
- 41- 50 lbs. give 4 tablespoons
- Add an additional 1-tablespoon to the 4 tablespoons for each 10 lbs of body weight over 50 lbs.

Refrigerate tea recipe. Parasite Tea Recipe will be good for 3 days refrigerated. The tea is best if given warm. The syringe can be run under warm tap water. One can also put the tea (recommended dose) in a small glass and place it in a larger bowl containing hot water and allow the tea to warm up. Do not microwave the tea.

If the puppy begins to bleed excessively, add ¼ tsp Cayenne to the tea. As soon as the bleeding stops make a new batch leaving the Cayenne out.

While treating a liver problem and Parvo, you may want to use the Oat Water (as the Pedialyte substitute), the Beef Liver and the Parvo Liver Tea (be sure not to give the Parvo Liver Tea and the Beef Liver at the same time). Try to include the Parvaid, Vibactra Plus, Life Cell Support and Adizone. We have tried using the product or recipes alone and the puppies do not recover as well. Also, watch the fluid intake. Try not to over hydrate. When mixing tea's, compensate for the additional fluids. You will find a sample schedule in the Treatment Options section of this book to help you keep track of the fluid intake.

If your puppy is on IV fluid – Over-hydrating can be straining on the heart. Reduce the IV drip to half the dose and give only half the amount of tea.

Once Parvaaid and Vibactra Plus Arrives

When you get your Parvaaid and Vibactra Plus:

1. Take your puppy off the tea recipe.
2. Give your puppy one dose of Parvaaid and wait 15 min.
3. Give Parvaaid and Vibactra Plus with Oat Water or electrolyte fluid according to the weight chart on the instruction sheet.
4. Every hour give Parvaaid and electrolyte fluid until the puppy has kept food down for 6 hours and is a little playful. Then drop the dosage down to 4 times a day for 2 days.
5. Every 6 hours give Vibactra Plus (Do not give more than the recommended dosage). Once the puppy has kept food down for 6 hours drop the dose down to twice a day.
6. If you have Life Cell Support or Vaccination & Wormer Detox give it twice daily.
7. If you are using Adizone, give it every 2 hours until the puppy has kept food down for 6 hours and is a little playful. Then drop the dosage down to 4 times a day for 2 days.
8. If there are other puppies in the home that are not ill, give them the Parvaaid 4 times a day and Vibactra Plus 2 times a day for 5 days.

It is OK to mix the Parvaaid, Vibactra Plus, Life Cell Support and Adizone with the Pedalyte. Although the Vibactra Plus would be best given undiluted to retain its' strength.

If your puppy is on IV fluid – Over-hydrating can be straining on the heart. Reduce the IV drip to half the dose and give only half the amount of tea.

It is EXTREMELY important the puppy gets the Parvaaid and fluid

every hour **even through the night**. If the infection is not being taken care of, it will worsen. The intestinal tract will bleed more severely and the puppy can die from loss of blood or infection can take over as with any illness and cause death. **Occasionally you may fall asleep for a couple of hours**. If this occurs start the hydration method found in the section called “**A Dehydrated Puppy**” section as soon as possible (if the puppy is showing signs of dehydration).

If the puppy continues to worsen, it may be possible the virus has reached the large intestine (Parvo normally stays in the small intestine). If this is the case, you may want to do a couple of enemas until the puppy shows some kind of improvement, perhaps lifting its head or wagging its tail.

To Perform an Enema:

Use Parvaaid with electrolyte fluid or the tea if Parvaaid is unavailable:

1. For a puppy or small dog, use a syringe. For a medium to large dog, use a child size enema bottle. Lube the tip with KY jelly or Vaseline.
2. Fill the syringe/bottle with Pedialyte (electrolyte fluid or Oat Water) and PARVAID drops according to size. Making sure the fluid is luke warm. Cold fluid will cause the intestines to cramp.

Size	Pedialyte/Water	PARVAID	Use the Tea if Parvaaid is NOT available
Under 3 lbs.	1 tsp.	2 drops	1 tsp.

4 - 10 lbs.	2 tsp.	5 drops	2 tsp.
11-20 lbs.	1 tbsp	5 drops	1 tbsp
21-30 lbs.	2 tbsp	10 drops	2 tbsp
31-40 lbs.	3 tbsp.	15 drops	3 tbsp.
41–50 lbs.	4 tbsp.	15 drops	4 tbsp.

Add an additional 1-tablespoon to the 4 tablespoons for each 10 lbs of body weight over 50 lbs.

A small dog weighs approximately 10 lbs and less. A medium size dog is approximately 11 – 39 lbs. A large dog is approximately 40 lbs and up.

3. Place the puppy in the tub and administer the solution **slowly**.
4. Make sure the puppy’s spine is straight. You cannot give an enema to a puppy that is curled up.
5. Hold the buttocks together for at least two minutes.
6. Release the buttocks.

There may or may not be much water released from the dog. The colon may absorb all the fluids so don't worry if nothing comes back out.

Important to remember:

You are this puppy’s caretaker and you are responsible for its support. If you do not believe you can manage the necessary support of this puppy, contact your local Veterinarian. However, if you do everything you can to keep this puppy alive and the worst happens, do not blame yourself. This virus is life threatening and very difficult to

treat. This E-Book is designed to help you care for your puppy at home. Not all cases are going to be successful (at least 85% will). You do have the option of calling Amber Technology at 877-727-8243 if you have done all you can and your puppy continues to decline. Go to www.ambertech.com on the Parvaaid page for after hours contact information.

Stool Color and Its Meaning

The stools of a puppy will tell the story of what is going on inside. It is very important to keep track of what the stools look like:

1. The consistency
2. The color (probably the most important)
3. How often the puppy is going
4. Do you see any white particles in the stools?
5. Any red, fresh looking blood (old blood, dark brown and runny, is common for Parvo)

The normal Parvo looking stool will start out with a yellowish or greenish looking jelly-stool turning into a dark-brown-runny stool. The dark-brown- runny stool is old blood from the small intestine (very normal). This is the type of stool we would like to see verses the other various versions we have encountered. Puppies that exhibit classic dark brown runny stools tend to respond to treatment better than those who exhibit other types of stools.

If the puppy's stool is gelatin, clear with red fresh looking blood and has tested positive for Parvo – The puppy may be experiencing Parvo in addition to something else (which is very common). Amber Technology has created a product called Vibactra Plus to help these puppies overcome such an obstacle. Amber Technology found that too many people were treating their dogs for Parvo when they indeed had Coccidia, Parvo and Coccidia, Parvo and worms, or another disease exhibiting the same symptoms as Parvo (we call these diseases imitators). Vibactra Plus will treat viruses, bacteria, fungi, and microscopic parasites such as Coccidias or Ghiardia protozoan. Designing the Vibactra Plus to treat this spectrum enables us to cover many (not all) of the imitators of Parvo.

If your puppy has a light-brown-looking stool and tends to whimper or cry out, this could be a possibility of what is called Campylobacter. It is commonly acquired by eating a bird (i.e. chicken, turkey or wild poultry). Campylobacter is a painful **bacterial** infection, and not Parvo (Parvo puppies tend to be quiet). It

is highly contagious and also known as show crud. The puppy will whimper or cry which is not common in Parvo. Do not over-hydrate during the fever stage of Campylobacter. It is important to get your puppy on the right antibiotic. Penicillin will not do a thing for this infection. Tetracycline, Cephalexin or Erythromycin are some of the known antibiotics that are helpful. You can use Vibactra Plus in addition to these antibiotics if you give Acidophilus. Vibactra Plus in and by itself will not treat Campylobacter. For more information go to:

<http://www.vetmed.wisc.edu/pbs/zoonoses/Glk9fel/campylobacter.html>

<http://yorkieviews.com/campylobacteriosis.htm>

<http://www.avma.org/reference/zoonosis/zncampyl.asp>

http://www.biologico.sp.gov.br/arquivos/V70_3/modolo.PDF

If your puppy is exhibiting a gray looking stool, you may be dealing with a sort of parasite. We have had the most success with the Parasite treatment. The parasite treatment consists of:

- Parvaid
- Vibactra Plus
- Life Cell Support
- Adizone
- [Parasite Tea](#)(found in Tea Recipe's)

Fresh Blood Stools.

If you see red fresh-looking blood in the stools, it can be an indicator the Parvo has reached the large intestine. Normally the Parvo will stay in the small intestine, attack the lining and cause the dark-brown-runny stools (old blood). Anything we feed the puppy by mouth will go into the small intestines. The small intestines will absorb all the good substance (basically leaving filtered-through water which will enter the large intestine therefore not being able to treat the Parvovirus using Parvaid or the Tea orally). We found by doing an enema and treating the large intestine directly, the puppy will begin to feel better (usually within 2 – 4 hours). You should see some kind of an improvement (the puppy lifts its head, wags its tail or barks). It may not be a dramatic improvement.

An enema may be needed until the red fresh-looking stool is gone (at least 2 two hours apart). You can stop after you see an improvement in the puppy. Usually more than three enemas are not needed unless the puppy's condition worsens.

For instructions on how to do an enema go to [**Once Parvaid and Vibactra Plus Arrives.**](#)

Absence of Stools

There are a couple of conditions (perhaps more) that may cause a puppy not to have stools during a Parvo attack. One condition may be an infestation of worms. Do not worm the puppy if you suspect worms. Go to the [Treating Parvo and Parasites](#) section for more information on how to treat a puppy with worms.

Another condition may be caused by the lining of the intestinal tract swelling (for various reasons). This condition can become serious. If the puppy is straining to pass a stool, this can be hard on the heart, which can be weakened by the presence of the Parvovirus. Amber Technology's Adizone is designed to help relieve the puppy from the swelling and help the puppy overcome the illness.

Be consistent with the Parvaid and Vibactra Plus, giving the doses every hour around the clock. Dehydration can be a cause of no stools.

If you have gone through all these suggestions and your puppy does not exhibit a stool after a 24-hour period, you should take your puppy to your Veterinarian to check for blockage. A blockage is life threatening.

Parvo and Parasites

It is common for puppies to contract multiple diseases or one disease with other health conditions. Puppies contracting Parvo and having worms at the same time is very common.

In our experience, puppies with Parvo or Parvo and parasites combined present a grave outcome if they receive a Parvo vaccination and/or de-wormer while ill. Manufacturers of vaccines and de-wormers recommend that only healthy animals receive them.

Introducing these drugs into the system of an ill animal puts further stress on their immune system making them far more difficult to treat and greatly diminishing the possibility of a positive outcome. If your puppy has been vaccinated or de-wormed within a week to 10 days of presenting with Parvo (during the time they were incubating the virus) or has received a vaccination or chemical wormer while sick with Parvo we highly recommend putting your dog on Amber Technology's Vaccination & Wormer Detox as well as Beef Liver. (Amber Technology does not have an opinion as per the maintenance of vaccinations. Amber Technology asks that you do your own research and make your own determinations as to whether or not you will vaccinate.)

When a puppy has Parvo and other health issues at the same time the “**symptom picture**” (a snap shot of all the symptoms the puppy is experiencing) the puppy presents is not normal for Parvo. The “symptom picture” becomes more complicated, and a little confusing, because there is more than one disease present at one time.

Coccidia are parasites that, if not caught early enough, will work their way into the brain. The traditional treatment for Coccidia is an antibiotic called Albon (in the USA) or a sulphur drench. If you suspect your puppy has Coccidia or Coccidia in addition to Parvo here is list of things you can do:

1. Get the puppy started on Parvaid, Vibactra Plus (or Amber Technology's Kocci-Free) and Adizone. Life

Cell Support can also be beneficial.

2. You can give Parvaid, Vibactra Plus (or Kocci-Free), and Albon if you will put the puppy on Acidophilus (to put the good bacteria back into the intestinal tract). Acidophilus can be purchased at any supermarket with a pharmacy.
3. In addition to the Parvaid and Vibactra Plus (or Kocci Free), get your puppy started on some blood sugar stabilizers (found in the tea section of this book).

After the puppy is eating and the stools have turned back to a normal color and consistency reduce the Vibactra Plus or Kocci-Free dosage down to twice a day for the remainder of the ten days.

If you are not sure what you're facing or the puppy does not have the normal Parvo looking stool (starting out with a yellowish or greenish turning into a dark-brown-runny stool) get your puppy started on the Parvaid AND Vibactra Plus. Vibactra Plus was created to use specifically with Parvaid. Many imitators (diseases exhibiting the same symptoms as Parvo) have developed over the last few years. Campylobacter and Coccidia are two of the imitators that are found to be very difficult to treat when treating as Parvo. Vibactra Plus kills single celled organisms such as microscopic parasites (i.e., coccidian protozoan).

Be consistent with the Parvaid and Vibactra Plus, giving the doses every hour around the clock.

Continued Vomiting

There are several things that can cause a puppy to vomit, low blood sugar and dehydration being the most common for Parvo puppies. If your puppy begins to vomit, here is a list of things that can be done to help stop puppies from vomiting:

1. Put some molasses on the gums (to check for low blood sugar). If this works go to the Tea Recipe's and get the puppy started on the Beef Liver [and Oat Water](#). Be sure to put molasses on the gums before every dose of Parvaaid.
2. Check the gums of the puppy. If they are white then check the skin (Take some of the puppy's scruff of their neck between your fingers and GENTLY pull up and twist). In a well-hydrated dog, the skin will immediately go back into place once you release it. In a dehydrated animal, the skin will remain sticking up or only partially go back down very slowly. Count how long it takes to go back into place (one-one thousand, two-one thousand etc.). If it takes more than 3 seconds start some hydration therapy. More than 5 seconds immediately (do not delay) get fluids into the puppy. You can go to your Veterinarian and have the puppy put on IV fluids (recommended) or you can begin to do a series of hydrating enemas (be consistent and follow the instructions. If you are unclear on the instructions, can call Amber Technology at 877-727-8243 ext 2). If you have access to Sub Q fluids get them started immediately. Go to the A Dehydrated section for further instructions.
3. Some puppies need more mint than other puppies. Put the puppy on the Parvo Emergency Tea Recipe found in Tea Recipe's. Stop using the plain Pedialyte and use the tea in conjunction with the Parvaaid.
4. If the puppy is vomiting and will not keep the tea down,

give some Pepto-Bismol, wait 15 minutes, and then try the tea again. Do not do this treatment more than 4 times a day because the Pepto-Bismol can thin the blood and promote bleeding.

5. Give the Oat Water in place of the Pedialyte.
6. Movement can trigger vomiting. Limit the activity of the puppy.
7. Excitement can trigger vomiting. Likely because a puppy was in a laying position and then saw you walk in the door and they are so happy to see you, they momentarily forget they are sick. Let the puppy know you're coming into the room before you enter. This will lessen the excitement.
8. Do not force feed the puppy. Force feeding them can cause vomiting and will make the puppy regress. Your puppy can live on electrolyte fluid for over a week (giving sugar stabilizers along the way). **As long as you are consistent with the treatment plan**, your puppy will not suffer from lack of food.

Some dogs may require several of these steps in order to stabilize.

Lethargy / Weakness

Lethargy is a sign of weakness. Here is a list of things that can cause a puppy to become lethargic:

1. Excessive bleeding – Give the fluids every hour to prevent excessive bleeding. If the puppy begins to bleed excessively, you can put fluids back into the body (usually by enema) or take your puppy to your Veterinarian for a blood transfusion. When the puppy begins to leak blood out of the rectum, it is generally a

sign of internal bleeding. **At this point, there is not a whole lot you can do but make your puppy comfortable.**

2. Dehydration – Give the hydrating enemas (instructions found in [A Dehydrated Puppy](#) section)
3. Infection – It is critical that you put your puppy on an antibiotic. Parvo will cause secondary infections. Puppies generally pass away from the effects caused by Parvo and not by the Parvovirus itself.
4. Parvo can attack any of the major organs – This is more common on the heart. The Parvo will attack the major organs in their weakened state. The heart can become weak if the puppy is over hydrated, or over exerted. The liver, kidneys and other organs can also be at risk. Supportive care is important. We have listed Vitamin C to help strengthen the kidneys, beef liver to help keep the puppy strong, and to strengthen and support the system. Go to [Increasing the Survival Rate](#) section for all the supportive care ideas.
5. Low blood sugar – Give your puppy a constant support to the blood sugars. Pedialyte is not going to be enough. Go to the [Tea Recipe](#) section for more information.

Vaccinated & / or De-wormed Parvo Puppy

Your puppies system can only take on so much. Parvo is a serious and deadly disease. Adding stress to the disease is quite dangerous. It is very difficult to pull a puppy out of Parvo if given a vaccination or wormer. Amber Technology has come up with helpful tips to give you some hope in overcoming this obstacle.

- Beef Liver is like a tonic to the puppy according to Dr Pitcairn, D.V.M., Ph.D. The beef liver will absorb the toxins from the wormer or vaccination. The recipe can be found in the Tea Recipe's section.
- Amber Technology's Vaccination & Wormer Detox is designed to help the puppy overcome and build the immune system to allow the puppy to recover.

Amber Technology does not have an opinion as per the maintenance of vaccinations. Amber Technology asks that you do your own research and make your own determinations as to whether or not you will vaccinate.

Duration of Parvo

Parvo puppies treated with Parvaaid are generally ready to eat on their own within 2 days (less than ½ the time than those not treated with Parvaaid and Vibactra Plus).

If the puppy has recently been vaccinated or wormed before becoming sick, the time frame will be longer, up to 1 week, depending on the puppies immune system. We recommend using Amber Technology's Vaccination and Wormer Detox to help increase the survival rate.

When a puppy is trying to overcome more than one obstacle (Parvo and worms, Parvo and Coccidia etc.) it can take over a week. If treated early the average is 4 – 5 days.

Be patient, CALM and consistent with your puppy. If you are stressed and upset, your puppy will feel this too. Try to keep the environment as quiet and relaxed as you can, so your puppy feels safe and secure. A calm and soothing environment supports our immune system too.

Increasing the Survival Rate

Supportive care is important. Many things can happen when the body gets sick. Amber Technology has come up with a list of ideas to help you increase the chance of survival for your puppy.

1. Give Vitamin C ascorbic acid (for the health of the kidneys and immune care) 4 times a day until the dog is eating on his own.

Vitamin C recommendations. Vitamin C is eliminated from the body within 2 hours of ingestion, unless you buy the highly expensive Vitamin C that stays in the body for as long as 9 hours. During the extremity of the illness, give the Vitamin C at least 3-4 times/day (according to Dr Pitcairn D.V.M., Ph.D. It can be given up to every 2 hours). Vitamin C powder can be done via enema. When a Parvo puppy is not keeping fluids down orally.

Dr. Wendell Belfield's book, "How to Have a Healthier Dog" advises vitamin C "maintenance dose" for dogs, suggested use for Vitamin C is as follows:

Animal Weight	Vitamin C
Small	500 to 1500 mg / day
Medium	1500 - 3000 mg / day
Large	3000 – 6000 mg / day
Giant	6000 to 7500 mg / day

2. Give beef liver to help stabilize the blood sugar, provide energy to fight illness, absorb any toxins that may be in the body, help care for the intestinal tract and a good source for Vitamin A. The recipe can be found in the Tea Recipe's section.
3. If your puppy is running a fever over 104, give some baby aspirin (not Tylenol, Advil or Motrin). It has to be **pure aspirin**. A puppy's normal temperature is between 100.5 and 101.5.
4. If the temperature is low, provide the puppy a moist heat source. Be sure to wrap the water bottle in a light towel and replace the water when it starts to cool down.
5. If the puppy has a low-grade fever, you can heat the oral and/or enema doses, as doses given at room temperature of 70 degrees will lower the puppy's body temperature even more.

A Dehydrated Puppy

You can check your hydration three ways (we suggest doing all three).

1. Take some of the puppy's scruff of their neck between your fingers and GENTLY pull up and twist. In a well-hydrated dog, the skin will immediately go back into place once you release it. In a dehydrated animal, the skin will remain sticking up or only partially go back down very slowly.
2. **Check the puppy's gums frequently.** If they are pale pink or white, this is an indication of dehydration.
3. If your puppy begins to vomit and you have gone through the list in the Continued Vomiting section then it could be a sign of dehydration.

If the puppy is dehydrated.... It is CRITICAL!!! You need to do something NOW!!! You can do one of two things.

Hydrating enemas

The large intestine will act the same as the small and will absorb fluids, doing an enema is another way of putting fluids back into the body.

or

You can go to your Veterinarian and have the puppy put on IV fluids

Keep in mind when you are administering the enemas it may upset the stomach. The best solution is to give the enema BEFORE giving the fluids by mouth. To start hydrating your puppy:

Only do the series of enemas if your puppy is dehydrated. You do not want to over hydrate your Parvo puppy.

1st hour-

- Give an enema every half hour to begin the process (follow the chart below for the proper dose).
- Give Parvaid **only** by mouth every fifteen minutes. Do not worry about overdosing on Parvaid. It is designed so you can give it safely every hour (more if needed).

2nd hour

- Continue to give the enema every half hour.
- Give Parvaid and half the amount of recommended fluids by mouth every half hour.

3rd hour

- Give an enema every hour.
- Give the Parvaid and the full dose of fluids every hour.

4th hour and on

- Continue to give the enema every hour.
- Give Parvaid with full dose of fluids every hour until the puppy has held 2 full doses down by mouth.
- Once the puppy has held down 2 full doses by mouth stop the enemas and continue giving the Parvaid every hour (full dose) by mouth.

Use Parvaid with electrolyte fluid or Oat Water. If Parvaid is not available, use the tea (the tea you are working with).

To Perform a Series of Enemas:

1. For a puppy or small dog, use a syringe. For a medium to large dog, use a child size enema bottle. Lube the tip with KY jelly or Vaseline.

- Fill the syringe/bottle with Pedialyte and PARVAID drops according to size. Making sure the fluid is luke warm. Cold fluid will cause the intestinal tract to cramp.

Size	Pedialyte/Water	PARVAID	Tea if Parvaoid is NOT available
Under 3 lbs.	1 tsp.	2 drops	1 tsp.
4 - 10 lbs.	2 tsp.	5 drops	2 tsp.
11-20 lbs.	1 tbsp	5 drops	1 tbsp
21-30 lbs.	2 tbsp	10 drops	2 tbsp
31-40 lbs.	3 tbsp.	15 drops	3 tbsp.
41–50 lbs.	4 tbsp.	15 drops	4 tbsp.

Add an additional one tablespoon to the chart for each 10 lbs of body weight over 50 lbs.

A small dog weighs approximately 10 lbs and less. A medium size dog is approximately 11 – 39 lbs. A large dog is approximately 40 lbs and up.

- Place the dog in the tub and administer the solution **slowly**.
- Make sure the puppy’s spine is straight. You cannot give an enema to a puppy that is curled up.
- Hold the buttocks together for at least two minutes.
- Release the buttocks.

There may or may not be much water released from the rectum. The colon may absorb all the fluids so don't worry if nothing comes back out. If the puppy has a bowel movement right afterwards (within 3 minutes) repeat the enema. If the fluid stays in longer than 3 minutes wait until the next enema is needed.

Over Hydrating and Under Hydrating

It can be dangerous to over hydrate your Parvo puppy. The Parvovirus is trying to attack the major organs of the body (the heart being most common). If an organ is over worked it falls into a weakened state. The Parvo will attack the weaker organs. When the heart has to work hard to pull the fluids into the body, it falls into that weakened state. Often times Amber Technology will see an over hydrated puppy (most often with Sub Q fluids) have a bowel movement then become very weak. Within a couple of hours the puppy has passed. This can indicate over exhaustion on the heart.

Symptoms of over hydration:

- After giving a large amount of fluids (puppy is stable), it takes a dive and falls into a weakened or lethargic state.
- If you have been allowing the puppy to drink fluids without monitoring the intake and puppy begins vomiting.
- The puppy can decline quickly (within hours).

If you suspect your puppy is over hydrated stop giving fluids for a few hours. If your puppy begins to improve while off the fluids then slowly begin the therapy.

If your puppy is on IV fluid - To avoid over hydrating reduce the IV drip to half the dose and give only half the amount of the Parvaaid.

The dangers of under hydrating are just as fatal.

If you suspect your puppy is dehydrating, either take your puppy to your Veterinarian or begin the series of hydrating enemas.

Giving your puppy fluids every hour around the clock is EXTREMELY important. The fluids keep your puppy hydrated and help the infection to drain. The Parvo is eating the lining of the intestinal tract making it unable to absorb fluids. Fluids entering the intestinal tract will find sections that are not useful for absorption (kind of a hit and miss). Keeping the flow of fluids going through the intestinal tract does two things. It helps keep the puppy hydrated and will help drain the infection. Absorption

First Foods

Keep in mind the intestinal tract is raw. The Parvovirus has eaten away at the lining and caused bleeding. Once the puppy has begun eating you may notice some cramping. The Parvaaid has ingredients to help ease the cramping and help the intestinal tract heal. It may be useful to keep the puppy on the Parvaaid during this cramping stage.

Start the puppy on a bland diet:

- Baby food with rice (include some type of meat such as ham or beef) Due to the rise of infections poultry is causing, it may be worth staying away from bird products until the puppy has recovered.
- Cook up some rice with meat (such as ham, lamb or hamburger). Rice will help firm up the stool of the puppy.
- If your puppy has had difficulty having stools, do not use rice. Cook up some meat with carrots, celery, and a little cabbage.

You will want to keep your puppy on a bland diet for at least one week. Do NOT over feed your recovered puppy. Small meals spaced throughout the day are better than one or two large meals. Overeating can cause a relapse within the first 48 hours of recovery.

Relapsing After Parvo

Relapsing is very common for Parvo puppies. In general, a relapse is when a puppy begins to show signs of improvement (is a little playful and can even start eating) then suddenly gets very ill. The improvement and decline are significant. It is more difficult to pull a puppy out of a relapse than it is the initial Parvovirus.

When your puppy begins eating and is able to hold it down for 6 hours

- Drop the dosage of Parvaaid to 4 times a day
- Vibactra Plus to 2 times a day
- Life Cell Support to once a day
- Adizone to 4 times a day

Do this for 2 days to help prevent a relapse from occurring.

If you suspect your puppy has had a relapse begin treating as you would the initial Parvovirus. Be sure you are consistent with your treatment.

Cleaning Up after Parvo

Your yard:

- Use 1 part bleach to 30 parts water and spray your yard completely.
- If you suspect your puppy had Parvo in addition to Coccidia, use boiling water after bleaching the yard. We have had customers that have hooked up a hose to the water heater and drenched their yard.

Inside the home:

- There is a company called:

Animal Health

800-424-7536

www.htproducts.net

They have a product called Kennel Care that is safe for your furniture and carpet proven to kill the Parvovirus. They are reasonably priced.

Keep in mind **your puppy will continue to shed the virus** for 2 weeks (some vets say up to 6 weeks) even after he or she has recovered. You will want to quarantine your home and yourself from other puppies for the next 6 weeks, and then do a thorough cleaning

Protect Future Puppies from Parvo

Here are some steps you can take before purchasing a puppy if you've had Parvo on your premises:

1. Follow the steps to clean your yard and home found in the section **Cleaning up after Parvo**. Having done the clean up before does not necessarily mean the Parvo is off your premises. Take the time to make extra precautions so your new puppy has a better chance of having a long and lasting relationship with you and your family.
2. Purchase Parvaaid and Vibactra Plus. Life Cell Support and Adizone would be optional but in a worst scenario would be considered necessary.
3. Go to the **Preventative Use** section and follow the steps for "Bringing a puppy into an environment that may be contaminated with Parvo".
4. If your puppies begin to show signs of Parvo (depression, loose stool, vomiting, etc) start them on the Parvaaid and Vibactra Plus right away (Vaccination and Wormer Detox if the puppy has been vaccinated a week prior to illness). IF it is not Parvo, but just a mild stomach upset, the treatment will not hurt. It is safe to give the full "Parvo" treatment until the bowel movements etc are normal again.

These steps are not a guarantee for your puppy to be Parvo free. However, it may give your puppy a fighting chance. It is better to take all the precautions you can.

Vaccinations

We are often asked the question “Should I vaccinate?” The vaccination question is a tricky one as there are many differing views on the vaccination protocols, even within the veterinary industry itself. Amber Technology does not have an opinion as per the maintenance of vaccinations. Amber Technology asks that you do your own research and make your own determinations as to whether or not you will vaccinate.

Multi component vaccines versus single component shots, yearly boosters versus every three years versus owners who choose to keep their pets vaccine free altogether.

The array of options can seem confusing and more than a little overwhelming.

The decision to vaccinate or not to vaccinate, or what sort of protocol to use if one chooses to vaccinate, is a highly personal one.

Each option has an element of risk. There are no guarantees, as is the way with most things in life.

All we can do is inform ourselves and make our decisions from a place we feel comfortable. Preferably, decisions should be made from a place of truth, a place within where we feel comfortable and confident with our choice and not from a lack of doubt where our lack of experience and knowledge can cause us to make decisions based solely on fear.

Informed decisions are the best kind of decisions. They will always result in the perfect choice for the individual involved. When we come from a place of truth, every choice we make is the right one for us, even when the choices we make affect the well being of others in our care.

There are many resources available to help you make an informed decision when considering vaccination options for your pet.

Of course, you can speak to your Veterinarian.

There are also books you can read and organizations that you can get in touch with that will help you get a better sense what other pet

owners do and the reasons behind their choices.

These resources can help you to better understand the risks involved with each choice (whether vaccinating or not), and also provide information concerning diet options and other modalities that people use to best support their pet's health and well-being.

By taking the time to inform yourself, you will be in a position to make the best decision possible for yourself and for the pets entrusted into your care.

Here are some links to get you started on your journey to help you care for your pet the best you can:

<http://groups.yahoo.com/group/KKProject/files/Pet%20Vaccinations/Vaccination%20Schedules%20in%20the%20News.doc>

http://www.redflagsweekly.com/conferences/vaccines/sept15_Fisher.html

http://www.redflagsweekly.com/conferences/vaccines/sept15_Fisher.html

<http://www.canine-epilepsy.com/Vacprotocol.html>

<http://www.doglogic.com/vaccination.htm>

<http://news.bbc.co.uk/1/hi/uk/3588457.stm>

<http://www.2ndchance.info/dogvacs.htm>

<http://www.noah.co.uk/pressrel/2002/20020201a.htm>

To join a Parvo Support Group e-mail Joyce McLeod at parvorelief@yahoo.com

Case Studies



Parvo Study Sheet (updated Dec 2000)

Dogs on Parva	died	Dogs Weight	Dogs Survived	Days it took to get better	Health	Number of day X number of dogs
6	0	12-15 lbs	6	6	4 very healthy	24
2			2	2	2	4
2	0	30	2	2	2 Excellent	4
2	0	10	2	2	1 Excellent	2
1	0	22	1	1	2 Preaty Good	2
1	0	6	1	1	4 good	4
2	0	10	2	2	2 wonderful	4
1			1	1	2	2
3	1	3 and 20	2	2	3 Excellent	6
1	0		1	1	3 wonderful	3
1	0	40	1	1	2 good	2
1	0	2	1	1	2 very healthy	2
1	0	20	1	1	2 great	2
2	0	9 and 42	2	2	1 great	2
1	0	75	1	1	1 Short tempered	1
7	6	7	1	1	3 good	3
8	1		7	7	2 fine	14
1	0	7	1	1	5 wonderful	5
2	1	17-20	1	1	3 very healthy	3
1			1	1	2 very healthy	2
1			1	1	2	2
1	1	12	0	2	2	0
1			1	1	2	2
1	0	60	1	1	3 Excellent	3
5	0	20	5	5	3 very healthy	15
1	0	11	1	1	2 doing well	2
2	0	40 and 60	2	2	2 OK	4
1			1	1	2	2
1			1	1	2	2
1		2lbs	1	1	2	2
3	1	2	2	2	2 Excellent	4
1	0	21	1	1	1 perfect health	1
4			4	4	2	8
1			1	1	1	1
7	1		6	6	2 fine	12
7	3	15	4	4	7 great	28
1	0		1	1	1 great	1
1	0		1	1	1	1
1	0		1	1	2 fine	2
5	0		5	5	2 great	10

2	0	2	2	4
1	0	1	2	2
2	0	2	2great	4
1	0	1	1	1

96	16	88
----	----	----

Success Rate

0.85 0.15

204

Average Recovery Time in Days

2.46



Parvo Study Preventative Sheet Updated 2000

Dogs on Preventative	Dogs show no symptoms	Dogs come down ill	Dogs Survive	Days it took to get better	Health	Number of day X number of dogs	Name
7	7		7	7	0 Great		Cindy Hubschmitt, DE
1	1		1	1	0 Good		Sandie Wolf
2	2		2	0	0		Michelle McAllister, SC
1	1		1	0	0		Valeria
4	4		4	0	0		Jerri Beane
1	1		1	0	0		Doberman Puppies
3	3		3	0	0		Linda Pyster
2	2		2	0	0 Healthy, happy and very much trouble makers		Denise Daniels
4	4		4	0	0		Lynn Craft
3	3		3	0	0		V. Smith, CA
2	2		2	0	0		Dan Ellison
3	3		3	0	0		Brandon Becker
3	1	2	3	2	2 Great		Sonia Wagner
3	3		3	0	0		Tony Davis
3	3		3	0	0		Micah Evans
5	5		5	0	0		Carlos Vargas
5	5		5	0	0		lisa Owens
4	3	1	4	4	4		Toni Davis
2	2		2	0	0		Luelia Thomas
2	2		2	0	0		Cecil Condy
1	1		1	0	0		Tommy Helmick
1	1		1	0	0		Janell Stingerie
8	8		8	0	0		Shawna McCoy
5	4	1	5	2	2		Dolores Christian
1	1		1	0	0		Donna Barley

78	72	4	78
----	----	---	----

Dogs on preventative 100% Dogs show no symptoms 95% Dogs came down ill No reported health problems

0.947369421

Average dogs on Preventative who do not get ill

Testimonials

Had a litter of pups one got sick so I took him to the vet he had Parvo the vet told me the best thing was to have him put down so I did. Later that evening the others started getting sick. My

son in-law found your web site so we ordered Parvaid and Vibactra Plus. I just wanted you to know all eight of the other puppies survived and are doing great all thanks to you. I will be singing your praises from now on. I just have one more question is it safe to vaccinate my puppies so soon after getting well? . Once again Thank you and a special Thank you to Cindy who we spoke to on the phone and she even gave us her home phone# in case we had any questions after hours. That is someone who really cares

SINCERLY
MRS Shawna MCcoy



Thanks for the information and all your help.

Attached are pictures of the White German Shepherd female puppy that survived Parvo thanks to your products. Started getting sick on March 1 and these pictures taken on March 5th. This is the puppy that the vets and 10 other breeders said WOULD NOT survive if she was not taken back to the vets, and the buyers threatened to show up with the Sheriff and take her if we didn't turn her over. I'm sorry, but this is one family that you DON'T back into a corner when it comes to the health of our animals.

HURRAY FOR AMBER TECH!!

Karen Supper



Hi, my name is Lynn Craft and I live in Richmond Virginia. We first heard of Parvaid a little over a year ago when we had a run in with Parvo. Our beautiful puppy weighed 16 pounds when we bought him and within days, he was very sick. We rushed him to the vet and heard those terrible words " He has Parvo" We left him there only for them to call us the next day telling us to rush down there. When we

got there, they told us they had done everything they could do but there was no cure for Parvo and he wasn't going to make it. They went over everything with us and told us we should have him put to sleep. I decided if he was going to die, we were taking him home so he could at least be with the people he loved and loved him. With him in my arms, I turned to the Internet and started researching everywhere I could about Parvo. I found your company and a lady a little over 150 miles from my house that carried it. I decided after everything we had been through we were going to try this too. Therefore, we made the tea, left him with a close friend, and traveled as fast as we could to get the Parvaaid. After returning home, we found him almost dead. He could no longer move and was almost stiff. Crying and praying the whole time, I started him on the Parvaaid. Now here comes our happy ending, after only a couple of hours our baby lifted his head up to look at us. I cannot explain that feeling but I am sure you already know exactly what I am talking about. He made a full recovery and now is a beautiful, healthy, loving adult dog. We also had a litter at the time that was in danger because he was there. We bought enough bottles to treat them and they are all fine healthy dogs too. I have told every one I know about Parvaaid and have people emailing me all the time about it. We already have a link on our website to your website to save people the time of trying to find it. I know Parvaaid works and I want to be a part of helping people and their puppies. We live in Richmond Virginia and the closest person who carries it lives in Maryland. Is there any way we could carry Parvaaid here with us? I know people here could use it and may not be able to travel that far to get it. We have also talked to the local vets and they have nothing nice to say about it. WE KNOW DIFFERENT! We have seen the miracles over and over again. At the same time, we have also heard that if only they had more time or by the time it reached them it was too late. I want to help more people save time and help their puppies. Parvo is a terrible, terrible thing but it doesn't have to be a deadly thing thanks to your company. I want to personally thank you for all the happy memories your company has given our family. I cannot even begin to think of our life without our Collision X. I feel strongly about this and hope you will consider letting me carry it here in Richmond as well. I am sending you pictures of our baby during and after so you can see again how wonderful your company is and how much love you are bringing into peoples lives. Take care and hope to hear from you soon.

All of the pictures I have were taken after he started to walk again because up until that point I was only worried about him getting better and did not even think about taking pictures.

Lynn Craft



Hi Cindy

I wanted to thank you very much for your help saving my baby Petie last year. I thought my puppy was going to die. I wanted to give a testimonial for Parvaid and hope it is not too long. However, people need to know there is hope,

Thank you to the creators of Parvaid and thank you Cindy of ambertech.com Parvaid hit my home of three dogs. I had just purchased 2 cocker spaniels after taking them to get their first shots, 2 weeks later I found out my boy cocker had come down with Parvo.

I immediately asked my vet to help him; I was told that he needed to be admitted to stay with the vet for emergency care. In addition, I was told it would cost me \$1,100 for his care and still no guarantee he would live. I could not afford that bill. I was sent home full of hopelessness. Out of desperation, I just couldn't believe there was no hope for the survival of my puppies. I went online to research this horrible disease and I found ambertech.com. I called Cindy, she was so kind, and caring, nothing like the vet. She cared and didn't even know me. I cried I had hope again. I purchased the Parvaid and used the emergency tea. After one day my puppy was drinking and after 3 days he was eating, after a week he was back to normal and eating my shoes.

With the preventive care my other adult dog never caught the Parvo nor did my other puppy cocker, there is no words I can say that would ever express my appreciation and gratefulness to the creators of Parvaid and the kind people like Cindy and her husband. The world need more people like them. Parvaid saved my dogs lives now my

dogs had their fist liter and Parvaaid preventive care. Thank you for saving my dogs life. I highly recommend Parvaaid as long as there is Parvaaid there is hope No.! Nothing is guaranteed but at least your dog will have a higher chance for survival from home care. I highly recommend Cindy of ambertech.com she really cares about helping you no matter where you live. Please spread the word about Parvaaid. There is hope let's get rid of the 50/50 chance to survive from home with Parvaaid your dogs chance for survival from home is much greater and less expensive. " I know because my 3 dogs are survivors"

V. Smith
California

Hi. Just wanted to let you know that Asia is doing GREAT!!! I really appreciate your advice and support. Most of all thank you for the web site and all of the information that it included. I didn't think that is was possible for a dog to live through Parvo in the first place. My children and I are grateful.

Thank you
Tina Jones

Cindy,

This is a picture of my dog since she has recovered from Parvo.
Thank you very much for all your help.



Vivian Chest

Cindy it's nice to put a face to the voice. Hi, I'm Stephanie Castillo and a few months ago, my puppy had Parvo. My husband found Amber Tech. on line and got the number for me. I was at my end wit and had no more avenues to choose from, until you came along. You help me nurse my dog back to health and saw it through until the end. I talk about you guys

and refer people to you as often as I can for not only your Parvaaid but other products as well. My dog (Levi) is alive and well today because of people that are willing to help in a time of need. Thank You So Much word can begin to express my gratification. I would like to learn more about your other products, as much knowledge that I can possibly learn from would be great.

I do know have a liter of pup's and have given them the Parvaaid I just not to sure how long should they receive it and does it work as a preventative against Parvo? In addition, how can I become a distributor of your products? Thank you for your time again.

Stephanie

Thank you for the fast shipping on my Parvaaid I ordered it on Saturday and got it on Monday. I also appreciate the free bottle of Vibactra Plus. I had one of the deceased puppies tested before having it put down and it tested positive for Parvo. After starting the tea recipe, I have only lost 2 out of 6 remaining puppies but they were in the latter stages of Parvo or so I thought but I am still not completely convinced that it is Parvo. After receiving, your info I now believe it was and is Campylobacter. Unaware of this I did not ask how much positive he was for Parvo but we did just purchase a new bag of food when this started to occur.

As for the remaining four puppies and the adult dogs, they are doing very well as of right now. I have even pulled on back from what ever it is ailing them. She was the tiniest pup of the litter she was very ill but now I am chasing her all over the house trying to keep her out of trouble. This is a very hard thing to do with Pomeranians.

I really do appreciate your product and am looking forward to seeing your new product

Sincerely
Stephanie Williams and her Pomeranian family

Thank you for all your help. Bacardi is going much better he is up, running, and biting as usual. Here is a picture so you can meet my baby.



Thank you for your product.
Elena

I gave my wolf pups their second set off shots and worming early last week. That night one of the pups was acting listless and didn't want to play. I decided to bring her in so I could keep an eye on her. By night, she was vomiting and hanging her head over the water bowl and had no energy. By the next morning, she was very dehydrated. Later that day she was diagnosed with Parvo although she hadn't shown any signs of diarrhea yet. My vet put her on a treatment of antibiotics, babies Tylenol, Dramamine, lactated ringers, and Kaopectate for diarrhea when that started. She continued to get worse. I thought I was going to lose her. She barely moved and wouldn't eat anything at all. The next day started the brown liquid diarrhea and she continued to look horrible. My poor little pup; I didn't think she was going to make it. Researching on the Internet, I read all the info about Parvo on your website. I ordered Parvaid immediately to be sent overnight. Once I got it, I gave her first dose immediately. Then an hour later, I gave another dose. Just before the third dose, I thought I noticed some improvement. I've continued treatment and her response was phenomenal. She is running, playing, and eating like normal now as if nothing was ever wrong, just four days after starting Parvaid. Thanks for making this product, and also for providing so much information on Parvo and its treatment on your website. I also think the beef liver mentioned you suggest helped quite a bit too. I will recommend your Parvaid to other breeders and dog owners. I am going to take a good look at your other products too.

Thank you so so so very much.

Deeanna Croasmun
Wild-Side K9s & Kats

Hello,

Three years ago, my neighbor unwittingly gave my litter of pups Parvo. His litter was born the day before his all and mine got Parvo. I think only one may have survived. He & I didn't know that it was transmittable by people - until mine had it too and I got busy researching on the Internet.



When my first pup came down with symptoms, I rushed him to the vet and left him. He was put in a back room, quarantined, and treated with IVs and antibiotics. Still the vet didn't give him much chance of survival.

Immediately I began to research Parvo on the computer and thank God I found Amber Tech and Parvaaid! I called Cindy and told her I had a whole litter that was exposed and she told me about the tea I could give them until the Parvaaid arrived. She sent it next day air and sent me two bottles! I ran to the store to gather up everything for the tea and started giving it to the pups immediately. I had them all in separate kennels except for two males who miraculously survived without contracting the dread disease. I gave them all the Parvaaid according to directions and thank God every one of them survived!

The two males never contracted it at all. They must've had some immune system; because I was so busy with the other four I didn't have a lot of time to deal with them. I got the pup home from the vet after 4-5 days and a \$750 vet bill! But he *lived*.

A few days ago, my girl, Angel ate something... who knows what and was impacted. This is the same girl that swallowed a baby rubber ducky and had to have it removed at the cost of \$750. This was when I was living in Alabama. I now live in Washington State and the same surgery is about \$1500! I did my own "exam" and could feel something in her gut that was hard to the touch. I also took her temperature. In addition, it was a little high, at 102.7. There was NO WAY I could afford surgery... so I was considering putting

her down. Nevertheless, I decided that I just couldn't give up on her, and I remembered the Parvaid that I still had left from the pups three years ago! I started giving her small amounts of Pedialyte with the Parvaid. I also gave her a Tablespoon of mineral oil every few hours. The vet suggested also giving small amounts of canned pumpkin every few hours. Angel went from Tuesday night to Sunday morning before any food went through her! I never rejoiced so much over seeing a dog go potty!

I began offering her small amounts of food several times a day and she gobbled it down like a trooper. She finally began drinking water, too. She got where she *preferred* the pedialyte! LOL!

How I thank God for Amber Tech and for Parvaid! It has saved five of my dogs, now! I am wondering, how long is the shelf life after opening? Must be about the same, because of the alcohol, because it sure worked on my Angel!!!

Thank God for all of you, and may He bless you abundantly!

One VERY Happy Customer,

Barbara Large

I just wanted to thank everyone at Amber Technology so much for your wonderful product. We have always taken our dogs to the vet for all of their vaccinations and any health problems they have had and up until my husband's 4 months old basset hound puppy got Parvo, we never had any problems with that. After spending thousands of dollars on the best veterinary hospital to keep him on an IV and treat him 24/7, they told us on the fourth day that there was nothing they could do, and he would have to be put to sleep. We were both very heartbroken about it and when we found out recently that our 13 week old golden retriever puppy had been exposed I began researching online to see what other treatment options were available. I came across Parvaid and Vibactra Plus thanks to Julie at Wolf Creek Ranch. Even though I had never tried any holistic products with our animals, I decided it was worth a try. Even though he wasn't showing signs yet I started giving it to him as

a preventative. By the 10th day he was still doing great but I woke up on the 11th morning to constant vomiting and bloody diarrhea and him not wanting to move, eat, or drink. I continued giving him your products more frequently throughout the day and with only this and some Pedialyte he was eating wagging his tail and eating baby food on his own. By this morning, I woke up and he was in his cage barking and ready to go outside. He hasn't thrown up in over 24 hours and his diarrhea is almost gone. It's hard to believe it's the same puppy that only yesterday could hardly move. Thanks so much for everything! You have no idea how much you have made a difference in our lives!

Jamie Frank

Cindy & Pat

I am not sure I ever sent you my testimonial, which I would be privileged for you to share with the world. Permit me to do so now, albeit a bit late.

In late May 2003, little JC (no, not named for me, not for Jesus Christ - for Julius Caesar because he thinks he is an emperor) came into my life. 5 days after arriving, during the first week of June 2003, on a Saturday morning, I realized that he was very listless, not willing to eat or drink anything. I had never heard of the Parvovirus. After speaking with the emergency Vet, I was told to bring him in. He was diagnosed as suffering from an infection of Parvovirus. They then explained a bit about it and I was devastated. The little fellow had already wormed his way into my heart.

They admitted JC to the hospital, in grave condition. He was kept in isolation. I returned home and began my online research into the Parvovirus. When I learned what it does and what it is about I was even more devastated. The emergency vet did not give him a very good prognosis primarily because of his young age and small size, less than two pounds. See photograph.



I spent the weekend studying and learning about this horrible illness. I visited JC several times - each time, having to don a gown and gloves, watching his poor body, heavily sedated, struggling to survive by building up his own immunity. On each visit, I was escorted out the back door to minimize the risk of infecting other dogs. I learned that I had to bleach EVERYTHING at home. I even bleached the yard. (I still ponder the imponderable - why is it so easy to kill the virus outside the body but impossible to do so once it gets in?)

By the Grace of God, I found your website. I purchased a bottle of Parvaaid and Pat gave me the recipe for tea to be given to JC while waiting for the Parvaaid to be delivered. As might be expected, the Vet was quite skeptical and it took quite a battle to get them to administer the tea. Of course, it would be Monday before the bottle of Parvaaid could be delivered. That bottle arrived Monday afternoon and I rushed it over to the emergency hospital. Again, I had to get firm with the Vet to get their commitment to administer it to him. I recall that Monday afternoon JC's condition seemed to be deteriorating and, frankly, they were not sure he would make it another day. However, they did agree to administer the Parvaaid according to your instructions.

On Tuesday morning, when I called to check on him, I was told that he was awake and sitting up. I was astounded. Within a few days, he was home, well on his way to recovery.

In December 2005, my 20-year-old cat was diagnosed with cancer. That same emergency vet saw Bandit one evening and he remembered treating JC. In fact, I had permitted them to keep the bottle and he told me that he has been able to use it with other dogs they have treated. I think if we could win him over, we can win anyone over.

About a week after his return from the hospital, we were continuing our routine of putting him into his carrier to sleep at night. Of course, he fought that vigorously - he hated going into

that carrier. (I would place the carrier on the other side of my king sized bed so that he could see me during the night.) One Friday night, as we were preparing for bed, JC curled up in the bed and went to sleep, before I put him into the carrier. I decided to let him sleep a bit before moving him. Of course, I awoke in the morning with JC still sleeping in the bed next to me. During the day that Saturday, we were in the yard working. In mid-afternoon, we took a break from the heat. Shadow, our Newfoundland, lay down in the living room in front of a fan, I sat on the couch and on the other side of a chair, obscured from my view, JC was lying on the floor next to his carrier, chewing on a piece of rawhide. After a while, I realized that I had not heard him chewing so got up to see what he was up to.

As if to say "I'm a big boy, now, I slept outside the carrier so I don't need it anymore," all two pounds of him had quietly pulled EVERY SINGLE ITEM, including a very large bath towel, out of his carrier and carefully stacked them outside of the carrier. My life has never been the same again.

Today, JC is still doing well. See recent photograph of him guarding the house.



Thank you so much for saving his life. Thank you for Parvaidd.

[Jim Conrad](#)

Jan. 2004



Amber Technology

1963 Pebble Circle, Lake Point, UT 84074
877-727-8243 www.ambertech.com

Wolf Creek Ranch
<http://wolfcreekranch1.tripod.com>

Stonehaven Farms
<mailto:stonehaven@ripnet.com>